

New Zealand.

ANALYSIS.

Title.

1. Short Title.

2. Act deemed to be a special Act.

3. Vesting lands in Board.
Schedule.1933, No. 13.—*Local and Personal.*

AN ACT to vest certain Land and Part of the Foreshore and certain Mud-flats within the Harbour of Whakatane in the Whakatane Harbour Board.

[20th December, 1933.]

BE IT ENACTED by the General Assembly of New Zealand in Parliament assembled, and by the authority of the same, as follows:—

1. This Act may be cited as the Whakatane Harbour Board Vesting Act, 1933. Short Title.

2. This Act shall be deemed to be a special Act within the meaning of the Harbours Act, 1923, and shall be read and construed along with the Whakatane Harbour Act, 1921–22. Act deemed to be a special Act.

3. On the passing of this Act the lands described in the Schedule hereto shall vest in and be the property of the Whakatane Harbour Board as endowment lands: Vesting lands in Board.

Provided that nothing herein shall interfere with the riparian rights of His Majesty or of any other person as they existed prior to the passing of the Whakatane Harbour Act, 1921–22.

Schedule.

SCHEDULE.

1. All that area or portion of land in the Auckland Land District, containing approximately 14 acres 2 roods, more or less, being a portion of the Whakatane Harbour below mean high-water mark, and several rocks and islands located therein, situated in Block II, Whakatane Survey District; bounded as follows: Commencing at the north-eastern corner of the existing wharf, following along lines on the following approximate bearings and distances— $79^{\circ} 45'$ for 460 links, to rock training-wall; thence along said wall, $66^{\circ} 45'$ for 180 links, $59^{\circ} 45'$ for 195 links, 53° for 135 links, $46^{\circ} 50'$ for 275 links, 37° for 180 links, to Irakewa Island; along the north-western end of Irakewa Island to its northernmost point; thence on the approximate bearing of $36^{\circ} 45'$, for a distance of 590 links, along rock training-wall, to Flat Rock, around the north-western face of Flat Rock to its northernmost end; thence along rock training-wall on lines of approximate bearings and distances— $39^{\circ} 45'$ for 230 links, $31^{\circ} 30'$ for 150 links, 24° for 215 links, to Heads Rock; along western side said rock, 358° for 60 links; thence $20^{\circ} 30'$ for 500 links, and 92° for 340 links, to mean high-water mark as defined by plan 23680, blue; thence in a south-westerly direction by that mean high-water mark to and by mean high-water mark as defined by D.P. 20477 to the south-western corner of the 10 link reserve on said plan; thence along roadside as defined by plan 9352, red, to the north-eastern corner of Section 3 of 260c (plan 9849, red); thence in a westerly direction along the line of mean high-water mark as defined by plan 23680, blue, to and by the eastern boundary of Section 7, Block II, Whakatane Survey District; and by the existing wharf to the point of commencement.

2. All that area or portion of land in the Auckland Land District, containing approximately 1 acre 1 rood 15 perches, more or less, being a portion of the Whakatane Harbour below mean high-water mark, situated in Block II, Whakatane Survey District; bounded as follows: On the south by mean high-water mark as defined by plans 22594, blue, and L.T. 13036; on the west by the old wharf; and on the east by the new wharf; and on the north by lines from the old to the new wharf on the bearings and distances approximately as follows— 84° for 110 links, 75° for 315 links, and $86^{\circ} 30'$ for 570 links.

3. All that area or portion of land in the Auckland Land District, containing approximately 40 acres, more or less, being portions of the Whakatane Harbour above and below mean high-water mark, situated in Block II, Whakatane Survey District; bounded as follows: On the south from the south-western corner of Section 1A, Town of Whakatane, being a point on the northern boundary of Section 378, Parish of Waimana (plan 19435, blue), along the northern boundary of the last-mentioned section and of Section 296, Parish of Waimana (plan 14086, L.T.), to the north-western corner of Section 296; thence in a northerly direction along the eastern boundary of Sections 298 and 297 of the aforesaid Parish (L.T. plan 16278) to the south-eastern corner of Section 9, Block II, Whakatane Survey District (Recreation

Reserve), (plan 22984, blue); thence along the eastern boundary of said reserve to its north-eastern corner; thence in a northerly direction on the approximate bearings of $3^{\circ} 25'$ for a distance of 155 links; thence south-easterly along lines on approximate bearings and distances $108^{\circ} 45'$ for 1515 links, to northern point, Bath Rock; and thence $93^{\circ} 15'$ for 850 links, to the north-western corner of the old wharf; thence south by the old wharf and by mean high-water mark to the northern boundary of Section 30, Block II, Whakatane Survey District (plan 24572, blue); thence along the northern and north-western and south-western boundaries of the said Section 30, Block II, Whakatane Survey District, to and by the Strand, and by the street called Commerce Street (plan 22728, blue) and by Section 1A, Town of Whakatane, to the point of commencement.

4. All that area or portion of land in the Auckland Land District, containing approximately 82 acres, more or less, being a portion of the Whakatane Harbour below mean high-water mark and two small islands, situated in Block II, Whakatane Survey District; bounded as follows: Commencing at the south-western corner of Section 6, Block II, Whakatane Survey District, thence along mean high-water mark in a south-westerly direction, along the south of Sections 27 and 28B 2E, Rangitaiki Parish (plan 23680, blue), to a point opposite iron pipe XIV on said plan 23680, blue, being the westernmost extremity of the line of rock groyne; thence in a south-easterly direction along the line of rock groyne bearing $128^{\circ} 28'$ to and by mean high-water mark as defined by plan 23680, blue, around the west, north, and east of Island A to a point opposite peg XIX; thence by a line along rock groyne approximately $96^{\circ} 48'$ to and by the north-west, north, and north-east and south of the Island B as defined by mean high-water mark on plan 23680, blue, to a point opposite peg XVIII on said plan; thence by lines on the following approximate bearings and distances along rock groyne 124° for 320 links; thence $70^{\circ} 30'$ for 460 links, to end of rock and fascine training-wall; thence along training-wall $86^{\circ} 15'$ for 440 links, $83^{\circ} 45'$ for 350 links, 79° for 490 links, $76^{\circ} 30'$ for 460 links, $71^{\circ} 45'$ for 245 links, $64^{\circ} 30'$ for 305 links, $59^{\circ} 45'$ for 160 links, $53^{\circ} 30'$ for 140 links, 43° for 160 links, $35^{\circ} 45'$ for 130 links, to end of fascine training-wall; thence $47^{\circ} 15'$ for 700 links, to the south-eastern extremity of Section 6, Block II, Whakatane Survey District; thence westerly along mean high-water mark on the southern side of the said Section 6, Block II, Whakatane Survey District, to the point of commencement.

As the same are shown edged pink on plan marked M.D. 7179, and deposited in the office of the Marine Department at Wellington, and therein marked respectively E, F, G, and H.